

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	34466	storage near2 element	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:47
L6	1744584	sens\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:47
L7	2073	5 with 6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:47
L8	19122	magnetoresist\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:48
L9	24	7 with 8	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:48
L11	21	magnetoelectric with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 17:25
L12	58000	sens\$3 with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 17:26
L13	6	12 with magnetoelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 17:26
L14	8	12 same magnetoelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 17:28
L20	924	range near3 "80" near3 "300"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:32
L21	174	20 and magnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:32
L25	110240	magnetic near2 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:35

L26	3698629	temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:35
L27	6839	magnetization with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:36
L28	153	27 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:36
L29	86	27 with 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:36
L30	30	28 same range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:41
L31	1475	saturation with magnetization with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:45
L32	22	31 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:46
L33	263	31 and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:54
L34	745	(saturation near4 magnetization) with temperature with magnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:55
L35	9	(saturation near4 magnetization) with temperature with 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:55

L38	357445	(saturation near4 magnetization) with temperature maximiz\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:56
L39	98	38 with 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:57
L40	10	39 with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 18:57
L42	1847	magnetization with curie with temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 19:00
L43	13	42 with 25	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 19:00
L44	21	42 same 25	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 19:00
L58	15	(saturation near3 magnetization) with (magnet\$8 near2 device) with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:18
L59	4345	magnetization with temperature with magnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:20
L60	124	magnetization with temperature with (magnetic near3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:20
L61	6	"5995309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:28
L62	2	("5995309").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:28
L63	3	("7110312").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:29

L64	2	("5729132").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:31
L65	3344	(coercive near2 force) with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:34
L66	38	65 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 19:34
L67	163	7 with transistor	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 21:06
L68	12	67 same magnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 21:06
L69	39	67 and magnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 21:06

2/11/08 9:15:46 PM

C:\Documents and Settings\cyoha\My Documents\EAST\Workspaces\11362612fin.wsp